STORAGE

After purchase, carefully empty seed potato contents into shallow boxes or trays. Egg boxes or apple trays are ideal. Protect from frost and store in a cool area.

POTATO GROWING GUIDE




1. CHITTING

Two weeks before planting move the potatoes into natural light and a temperature of about 10°C (50°F). Sprouts should appear. This step is optional, but may improve grow time. The potatoes may turn green when exposed to light, this is normal. Protect from frost.

2. PLANTING


Dig your potato plot in Autumn or Spring so the potatoes can easily be planted once soil temperatures are over 8°C. *See packaging for specific variety guide, or estimate below.*

MATURITY	PLANT	DEPTH	WIDTH	MARGIN	SPACE	HARVEST
First Early	Mar-Apr	15cm 6"	60cm 24"	30cm 12"	25cm 10"	June-Aug
Salad	Mar-May	15cm 6"	60cm 24"	30cm 12"	25cm 10"	July-Sept
Second Early	Apr-May	15cm 6"	70cm 28"	35cm 14"	30cm 12"	July-Sept
Maincrop	Apr-May	15cm 6"	70cm 28"	35cm 14"	37cm 15"	Sept-Oct



Potato Spacing

TOP VIEW



3. GROWING

When potatoes have emerged a few inches, pull earth around the plant with a rake, leaving peaked rows. Earthing-up gives the plant more soil to grow in, stops sunlight turning exposed tubers green, and improves drainage. It is also a quick and effective way of controlling weeds. Repeat the process as required, until the foliage is too big. Use frost blankets, tunnels, or greenhousing to protect your crop from frost.

4. HARVEST

First Earlies are best enjoyed when they are small and fresh in June/July/August and Second Earlies follow on. Maincrop varieties are best left until October for size and skin set.

Once the Maincrop foliage has died back the potatoes should be left in the ground for 2-3 weeks to allow the skins to set, ready for storing. Before harvesting, carefully scrape away some soil and check the potatoes have grown to the size that you like.

PERISHABLE GOODS, PROTECT FROM FROST

ONLINE GUIDE

Find the best way to grow & cook each variety here.



CALEDONIAN PEARL



FIRST EARLY

PLANTMar-AprilHARVESTJune-Aug

Harvest 10-12 weeks after planting subject to weather.

Caledonian Pearl is a first early potato producing a wonderful crop of salad potatoes. It has good tuber shape and size, shallow eyes, with high tuber numbers and smooth skin. The skins harden off quickly allowing for an early harvest.











CASABLANCA SEED POTATOES



FIRST EARLY

PLANT Mar-April **HARVEST** June-Aug

Harvest 10-12 weeks after planting subject to weather.

Casablanca seed potatoes are a white skinned first early with the potential to beat Winston on the show bench. A clean, smooth white skin with shallow eyes makes Casablanca an exhibitors delight while its cooking ability makes it a chef's dream with the versatility to chip, bake or boil really nicely. Edible sized crops can be achieved in 62 days from planting.







CERTIFIED STANDARDS FOR FARMS SAFE HAVEN SCHEME PREMIUM QUALITY - GROWN IN BRITAIN

DUKE OF YORK



FIRST EARLY

BEST

USES

SUITED CULINARY

PLANT Mar-April **HARVEST** June-Aug

Harvest 10-12 weeks after planting subject to weather.

Duke of York seed potatoes were first entered onto the national list back in 1891 and soon became famous for their great taste and allround culinary uses in the kitchen. The potatoes have yellow flesh and are oval in shape. An ideal early to boil straight from your garden. Once they are boiled the potatoes are dry and mealy. Duke of York has good resistance to dry rot.





FOREMOST SEED POTATOES



FIRST EARLY

PLANT Mar-April HARVEST June-Aug

Harvest 10-12 weeks after planting subject to weather.

When Foremost was first added to the national variety list in 1954 it was called Suttons Foremost. This variety was an instant hit with gardeners who liked its excellent flavour and resistance to disintegration when boiling. With average sized yields and disease resistance. It does have good common scab resistance, potatoes are short to oval in shape with white skin and waxy white flesh.







🧹 Mashina



FRANCIS SEED POTATOES



FIRST EARLY

PLANTMar-AprilHARVESTJune-Aug

Harvest 10-12 weeks after planting subject to weather.

Francis is an exceptionally early first early variety producing large, long to long-oval shaped potatoes. It has a good early dry matter allowing for nice fry colours when making chips and roast potatoes. With good disease resistance and a large, early maturing crop this makes for an early, tasty harvest from the garden.

BEST SUITED CULINARY USES









✓ Chipping



MARIS BARD



FIRST EARLY

PLANT Mar-April **HARVEST** June-Aug

Harvest 10-12 weeks after planting subject to weather.

Maris Bard is one of the best varieties to grow, producing high yielding crops of a good even size. For many years Maris Bard was the leading first early for maturing the quickest. These potatoes are oval in shape with white skin. The tuber eyes are shallow and the flesh is white. Bard is best suited to boiling and early salad use in the kitchen. Good resistance against common scab.

BEST SUITED CULINARY USES





lad V Roasting



CERTIFIED STANDARDS FOR FARMS DAFE HAVEN SCHEME REMIUM QUALITY - GROWN IN BRITAIN

ORGANIC COLLEEN SEED POTATOES



FIRST EARLY

PLANT Mar-April HARVEST June-Aug

Harvest 10-12 weeks after planting subject to weather.

Colleen has a good resistance to tuber blight so is ideal for growing in an organic system. An excellent all-rounder potato with light yellow skin and yellow flesh. Good pest resistance making it gardener friendly.











PENTLAND JAVELIN



FIRST EARLY

PLANT Mar-April **HARVEST** June-Aug

Harvest 10-12 weeks after planting subject to weather.

Pentland Javelin were bred by a young Jack Dunnett back in 1968. For years they have been considered to be one of the finest first earlies that you can grow. Javelin produces heavy crops of short oval white skinned tubers with pure white tasty flesh. A great potato to put into the pan and boil and use for salads. Pentland Javelin also has good all-round disease resistance to common scab and blackleg.















PREMIERE SEED POTATOES



FIRST EARLY

PLANT Mar-April **HARVEST** June-Aug

Harvest 10-12 weeks after planting subject to weather.

Premiere is known for its great taste and ability to make delicious and crispy French Fries. This early-maturing crop produces good, heavy yields with plenty of size in the potatoes. Premiere has good resistance to golden cyst nematode and common scab.

BEST SUITED CULINARY USES









🗸 Chipping



RED DUKE OF YORK



FIRST EARLY

PLANT Mar-April HARVEST June-Aug

Harvest 10-12 weeks after planting subject to weather.

Red Duke of York are a heritage variety from 1942. The first Red Duke was said to be found in a crop of White Dukes in Holland. Red skinned tubers with shallow eyes and yellow flesh. Red Dukes are a dry mealy potato packed with flavour and do not disintegrate on boiling.

Winner of the RHS Award of Garden Merit











ROCKET SEED POTATOES



FIRST EARLY

PLANT Mar-April HARVEST June-Aug

Harvest 10-12 weeks after planting subject to weather.

Rocket seed potatoes were first released in 1987 and were the quickest bulking of all early potatoes. Rocket's ability to grow large crops of uniformed round tubers made it very popular. Tubers have white flesh and skin with shallow eyes with and a mild taste. There is good resistance to blackleg, common scab and spraing. Harvesting Rocket before full maturity is recommended to avoid tubers cracking.

BEST SUITED CULINARY USES







🖌 Roasting



CERTIFIED STANDARDS SAFE HAVEN SCHEME PREMIUM QUALITY - GROWN IN BRITAIN

SHARPES EXPRESS SEED POTATOES



FIRST EARLY

PLANT Mar-April HARVEST June-Aug

Harvest 10-12 weeks after planting subject to weather.

They were first added to the National Potato Variety List in 1901 and have been going strong ever since. Tubers are long and oval with white skin and pale lemon coloured flesh and shallow eyes with a high dry matter content. Making for a great potato in the kitchen with all-round use. Sharpes Express has a fine flavour and is suited for boiling, roasting and chipping Salad. Sharpes has good resistance to common scab.



BEST SUITED CULINARY USES





🖌 Salad



SWIFT SEED POTATOES



FIRST EARLY

PLANTMar-AprilHARVESTJune-Aug

Harvest 10-12 weeks after planting subject to weather.

Swift is the earliest early with crops being harvested in as little as 60 days. A high yielding variety that produces a round to oval white tuber with creamy flesh and shallow eyes. A real all rounder in the kitchen and has been bred for early use in the north of Scotland so you can be assured this is a hardy variety. Great disease resistance to blackleg, common scab, powdery scab and eelworm. This is the ideal variety to grow in containers for early use.

BEST SUITED CULINARY USES





✓ Salad ✓ Roasting



CERTIFIED STANDARDS FR FARMS CAFE HAVEN SCHEME REMIUM QUALITY - GROWN IN BRITAIN

ACOUSTIC SEED POTATOES



SECOND EARLY

PLANTApril-MayHARVESTJuly-Sept

Harvest 13-15 weeks after planting subject to weather.

Acoustic is a great all-round variety with a strong resistance to blight making it ideal for organic gardens. Producing a high yield of round, pale skinned, creamy fleshed and tasty tubers with a waxy texture; perfect for salads and boiling. You can leave them to mature and lift them later in the season where they will become more floury in texture making them great for chips, baking, mashing and roasting.

BEST SUITED CULINARY USES









🖌 Roastina





PREMIUM QUALITY - GROWN IN BRITAIN

KESTREL SEED POTATOES



SECOND EARLY

PLANTApril-MayHARVESTJuly-Sept

Harvest 13-15 weeks after planting subject to weather.

Kestrel has to be one of the best potatoes in living memory. Bred by the great man himself Jack Dunnett this potato has taken the exhibition scene by storm because of its consistent size and colour. One of the best tasting varieties with excellent cooking uses and disease resistance. Kestrel are the potatoes that you should always grow.



BEST SUITED CULINARY USES







🖌 Boiling



MARFONA SEED POTATOES



SECOND EARLY

PLANTApril-MayHARVESTJuly-Sept

Harvest 13-15 weeks after planting subject to weather.

Marfona is a high yielding variety which produces consistent large crops of waxy baking type potatoes. Tubers are oval in shape with a light yellow skin and cream coloured flesh. Large, smooth potatoes early in the season. Perfect for summer baked potatoes.













MARIS PEER SEED POTATOES



SECOND EARLY

PLANT April-May July-Sept HARVEST

Harvest 13-15 weeks after planting subject to weather.

Maris Peer produces strong, tall plants with an abundance of pretty purple flowers. Peer tubers are oval in shape with a firm creamy coloured flesh and white skin. Disease wise they have good resistance to all skin diseases. A variety that is suited for second cropping and harvesting at Christmas.







🖌 Salad



NADINE SEED POTATOES



SECOND EARLY

PLANTApril-MayHARVESTJuly-Sept

Harvest 13-15 weeks after planting subject to weather.

Nadine was the first successful variety that was bred by Jack Dunnett as an independent breeder. Very shallow eyes with high yields have made this variety a popular showbench winner at all the major shows. Expect high yields of big potatoes, which store well.



BEST SUITED CULINARY USES





ORGANIC SARPO UNA



SECOND EARLY

PLANTApril-MayHARVESTJuly-Sept

Harvest 13-15 weeks after planting subject to weather.

Sarpo Una, part of the Sarpo Series, is a unique Second Early variety, perfect for container growing and harvesting early as a salad crop or left to mature into a heavy crop of baking potatoes. Like other Sarpo varieties, it has strong blight and general disease resistance.









ıd 🛛 🧹 Bakina





WILJA SEED POTATOES



SECOND EARLY

PLANTApril-MayHARVESTJuly-Sept

Harvest 13-15 weeks after planting subject to weather.

Wilja was one of the first Dutch-bred varieties to change the rule book about second earlies. Wilja allowed large consistent crops of light yellow skinned tubers to be produced in a shorter time period. The flesh is yellow and firm with a texture between waxy and floury making it unusual.









✓ Roasting ✓ Baking







CHARLOTTE SEED POTATOES



SALAD

PLANTApril-MayHARVESTJuly-Sept

Harvest 10-12 weeks after planting subject to weather.

Charlotte is now the most popular salad potato in the UK. Tubers of Charlotte are long with a yellow skin and firm yellow waxy flesh that make it a superb salad potato. Cooking qualities are excellent and the potatoes are full of flavour. Very good resistance to foliage and tuber blight. Charlotte is a popular variety for planting in August and harvesting before Christmas. Winner of the RHS Award of Garden Merit.



BEST SUITED CULINARY USES







🖌 🖌 🖌



NICOLA SEED POTATOES



SALAD

April-May PLANT July-Sept HARVEST

Harvest 10-12 weeks after planting subject to weather.

Nicola A Salad Variety. Long oval shape, yellow skin, waxy light yellow flesh. Good boiling qualities. Resistant to Potato Cyst Nematode, also has good resistance to common scab, potato leaf roll virus, potato virus Y and bruising. A popular variety for late planting and harvesting at Christmas.











CERTIFIED STANDARDS SAFE HAVEN SCHEME PREMIUM QUALITY - GROWN IN BRITAIN

APACHE SEED POTATOES



MAINCROP

PLANTApril-MayHARVESTSept-Oct

Harvest 15-22 weeks after planting subject to weather.

Apache is a very striking potato with its bright red skin and cream eyes. Lots of round tubers are expected with a lovely smooth texture. Scrubbed and cooked whole, Apache makes a delicious change from traditional roast potatoes. The contrasting colours stay bright if blanched before roasting whole in their skins, giving an excellent, almost sweet, buttery, chestnut flavour.

BEST SUITED CULINARY USES



Salad



🖌 Roasting



BLUE ANNELISE SEED POTATOES



MAINCROP

BEST

USES

SUITED CULINARY

PLANTApril-MayHARVESTSept-Oct

Harvest 15-22 weeks after planting subject to weather.

The crop produces long shaped, blue skin and blue flesh tubers. Slightly creamy flavour with a nutty aroma. Blue Annelise comes from the small town of Barum in Germany and it was introduced in 2007. Blue Annelise is blue through and through looking wonderful in a colourful salad and also makes fantastic eye-catching Jacket Potatoes.

was e through urful ching







🖌 🖌 🖌 🖌

ing 🛛 🖌 Baking

🖌 Roasting 🛛 🖌 Salad

CALEDONIAN ROSE



MAINCROP

PLANTApril-MayHARVESTSept-Oct

Harvest 15-22 weeks after planting subject to weather.

A most versatile, easy to grow variety, with wonderful flavour and texture. Attractive, bright red skin and pale, yellow flesh. Expect high yields of large potatoes. Superb, new all-rounder. Good scab and PCN resistance.













🖌 Mashing



CARA SEED POTATOES



MAINCROP

PLANT April-May **HARVEST** Sept-Oct

Harvest 15-22 weeks after planting subject to weather.

Cara is still one of the most popular maincrop varieties due to it's excellent blight resistance. Tubers are round with white skin and pink eyes. They are a very robust variety and have excellent drought resistance as well as good all round disease resistance.









🖌 Bakina







DESIREE SEED POTATOES



MAINCROP

PLANT April-May HARVEST Sept-Oct

Harvest 15-22 weeks after planting subject to weather.

Desiree produce oval red skinned tubers with pale yellow flesh. Heavy cropper and early bulking. High resistance to drought, potato virus Y and powdery scab. Susceptible to potato cyst nematode and mis-shapes on heavy soils. Moderately susceptible to spraing and mild mosaic viruses. Medium dry matter, firm cooked texture, good boiling, frying and mashing quality.

















🗸 Chipping

🖌 Bakina

🖌 Boiling

🖌 Roastina 🖌 Mashing

GOLDEN WONDER



MAINCROP

PLANT April-May **HARVEST** Sept-Oct

Harvest 15-22 weeks after planting subject to weather.

Golden Wonder tubers are long and oval with a russet skin. The flesh is white and floury which when boiled can be very dry and mealy to the delight of many. They are a late maturing maincrop and should be planted as early as possible to produce a large yield. They have great resistance to common scab.













🖌 Roasting



HEIDI RED SEED POTATOES



MAINCROP

PLANTApril-MayHARVESTSept-Oct

Harvest 15-22 weeks after planting subject to weather.

Heidi Red, also known as Heidirot, is a German-bred potato with vibrant red skin and flesh that retains its color when cooked. Known for its delicious taste and buttery texture, it's ideal for boiling or steaming and shines in salads. A standout both in the garden and on the table!















🖌 Boiling

🖌 Salad

🖌 Baking 👘

🖌 Roasting 🛛 🖌 Mashing

JAVA SEED POTATOES



MAINCROP

PLANTApril-MayHARVESTSept-Oct

Harvest 15-22 weeks after planting subject to weather.

The new improved version of Sarpo Mira. A red skinned maincrop with excellent blight resistance. Bred from Sarpo Mira and Valor, Java will produce a plentiful crop with good eating qualities making it an excellent choice for gardeners.



BEST SUITED CULINARY USES





🖌 Mashing 🔰 🖌

🖌 Boiling



🖌 Roastina

CERTIFIED STANDARDS FOR FARMS SAFE HAVEN SCHEME PREMIUM QUALITY - GROWN IN BRITAIN

KERRS PINK SEED POTATOES



MAINCROP

PLANT **April-May** HARVEST Sept-Oct

Harvest 15-22 weeks after planting subject to weather.

Kerrs Pink is a very popular variety in Scotland and Ireland because of its dry and floury nature. Tubers are normally short and oval with slightly deep eyes and should just be eaten simply in their beautiful pink skins. They have good blight resistance and longterm storage ability.















Chipping

🖌 Baking 🖌 Boiling 🖌 Roastina

🖌 Mashing

KING EDWARD



MAINCROP

PLANTApril-MayHARVESTSept-Oct

Harvest 15-22 weeks after planting subject to weather.

King Edward are probably the most famous potato on the market, they are known for their excellent cooking and taste qualities. Once cooked they rarely discolour and offer a broad range of uses. Often copied but never beaten, that is why King Edward have been around for over a century.











🖌 Roastina

🖌 Boiling



🖌 Mashing



MARIS PIPER



MAINCROP

PLANTApril-MayHARVESTSept-Oct

Harvest 15-22 weeks after planting subject to weather.

Extremely popular and well known, it is the cooking and frying qualities of Piper that makes this potato stand out from the rest. The tubers are oval with a white skin and cream coloured flesh. It is also a good long-term storing potato.













🖌 Boiling



MARVEL SEED POTATOES



MAINCROP

PLANTApril-MayHARVESTSept-Oct

Harvest 15-22 weeks after planting subject to weather.

An early maincrop and a farmers' favourite. Marvel has been successfully grown commercially over the past few years and has proven to be very popular. It produces bold potatoes that are perfect for baking, chips, and wedges. A smooth cream coloured skin with shallow eyes makes it easy to peel. Marvel is found to be ideal in hot climates but adaptable and ideal for the unpredictable summers here in the UK! Expect high yields and tasty big potatoes.



BEST SUITED CULINARY USES









🖌 Roastina







ORGANIC ALOUETTE



MAINCROP

PLANTApril-MayHARVESTSept-Oct

Harvest 15-22 weeks after planting subject to weather.

Organic Alouette Seed Potatoes are fully certified organic and a versatile, red-skinned table variety with oval, long tubers and shallow eyes. With attractive deep red skin and creamy yellow flesh, Alouette offers excellent flavour and texture when cooked. Its dual resistance to both foliage and tuber blight makes it ideal for organic gardens, providing a reliable and tasty harvest.



















ORGANIC ARRAN VICTORY



MAINCROP

PLANTApril-May**HARVEST**Sept-Oct

Harvest 15-22 weeks after planting subject to weather.

Bred by Donald McKelvie on the Isle of Arran in 1918 to celebrate the end of World War 1. These oval tubers with vivid blue/purple skin contrasts with it's bright white flesh. This is a late maturing variety and produces a high yield.

Arran Victory is a floury potato and is very tasty. It makes delicious mash and is also good for roasting and baking.



BEST SUITED CULINARY USES















ORGANIC SARPO AXONA SEED POTATOES



MAINCROP

PLANT **April-May** Sept-Oct HARVEST

Harvest 15-22 weeks after planting subject to weather.

Axona, related to Sarpo Mira, offers superb taste, high blight and disease resistance, and is easy to grow and cook. With lush, dark green foliage and striking pink flowers, Axona thrives without issues like virus or silver scurf. Part of the Sarpo Series, it has red skin, cream flesh, and produces large, regular tubers with high yields.



BEST SUITED CULINARY USES









🖌 Chippina

🖌 Mashing



ORGANIC SARPO MIRA SEED POTATOES



MAINCROP

PLANT **April-May** Sept-Oct HARVEST

Harvest 15-22 weeks after planting subject to weather.

Sarpo Mira is a maincrop seed potato known for its high yields and excellent storage quality, producing tasty potatoes that are versatile for cooking. It has strong resistance to diseases, especially high resistance to tuber blight and moderate resistance to common scab. The variety is also noted for its good slug resistance and dense, weed-suppressing foliage, making it a robust choice for gardeners.







🖌 Mashina



🖌 Bakina









ORGANIC SETANTA SEED POTATOES



MAINCROP

PLANTApril-MayHARVESTSept-Oct

Harvest 15-22 weeks after planting subject to weather.

Setanta has a lot going for it! Not only is it easy to grow but it is also a great versatile variety in the kitchen. This red skinned variety has been bred from the famous Rooster potato. Similar to Rooster in that it has a dry, fluffy texture making it ideal for delicious mash, roasts and chips. What makes Setanta different is it has excellent blight resistance in particular tuber blight resistance and yields lots of similar sized baking potatoes. It stores well so can be enjoyed for many months after harvest.

BEST SUITED CULINARY USES













🖌 Chipping

🖌 Baking 🛛 🖌 Boiling

🖌 Roasting

🖌 Mashing

PREMIUM QUALITY - GROWN IN BRITAIN

PICASSO SEED POTATOES



MAINCROP

PLANTApril-MayHARVESTSept-Oct

Harvest 15-22 weeks after planting subject to weather.

Picasso tubers are round to oval in shape with white smooth skins and pink eyes. This is now a popular variety for allotment growers due to its high disease resistance. With Cara as one of its parents it has a great range of uses in the kitchen. A huge yielder and good storing variety.







🖌 Bakina



Boiling





STUTTGART PREMIUM QUALITY ONIONS



SPRING PLANTING

PLANTMarch-AprilHARVESTMay-June

Harvest 8-12 weeks after planting subject to weather.

A trusted garden variety that produces a heavy crop of flattish brown skinned bulbs which have a great taste and are easy to prepare in the kitchen.



RED BARON PREMIUM QUALITY ONIONS



SPRING PLANTING

PLANTMarch-AprilHARVESTMay-June

Harvest 8-12 weeks after planting subject to weather.

Glossy, deep red skins and a strong flavour make these a popular gardeners' choice. Red Baron copes well when planted early in the year.



RED SUN PREMIUM QUALITY SHALLOTS



SPRING PLANTING

PLANTMarch-AprilHARVESTMay-June

Harvest 8-12 weeks after planting subject to weather.

Red sun has white-fleshed bulbs with a really good flavour for cooking, salads or pickling. It produces large crops, grows well in most soils and stores for months.



GERMIDOUR PREMIUM QUALITY GARLIC



SPRING PLANTING

PLANTMarch-AprilHARVESTMay-June

Harvest 8-12 weeks after planting subject to weather.

Very popular soft neck variety with purple-streaked skin and white cloves. It has a lovely mild flavour and stores well. Each bulb has approximately 10 cloves and will grow well in the garden or a container.



ELEPHANT PREMIUM QUALITY GARLIC



SPRING PLANTING

PLANTMarch-AprilHARVESTMay-June

Harvest 8-12 weeks after planting subject to weather.

Supplied as cloves, produces bulbs up to 3 times larger than regular garlic. It has a much milder taste than other garlics and is a delicious addition to soups or can be served roasted as a starter course.





ANYA SEED POTATOES

SALAD CROP 1995 VARIETY

COOKING: Boil whole in skin/salad. Stays firm hot or cold. Has excellent reputation for flavour. **TYPE:** Modern bred "old fashioned" salad **TUBER:** Pink skin, white flesh. Long & knobbly but without outgrowths.

DISEASE RESISTANCE	
BLIGHT	MODERATE
SCAB	HIGH
EELWORM (PCN)	SUSCEPTIBLE

©2024 ISJ HORTICULTURE





ROOSTER SEED POTATOES

MAIN CROP 1993 VARIETY

COOKING: Good for mashing, steaming, roasting & chipping **TYPE:** Originally Irish but rapidly becoming popular throughout the UK.

TUBER: Red skin with light yellow flesh. Oval.

©2023 ISJ Horticulture

DISEASE RESISTANCE	
BLIGHT	MODERATE
SCAB	MODERATE
EELWORM (PCN)	MODERATE





VIVALDI SEED POTATOES


SECOND EARLY 1999 VARIETY

COOKING: Firm, multipurpose variety with excellent creamy flavour.

TYPE: Described as a "low carb" potato bred from Mona Lisa

TUBER: White smooth skinned tubers, with light yellow flesh

DISEASE RESISTANCE		
BLIGHT	MEDIUM-FOLIAR HIGH-TUBERS	
SCAB	MEDIUM	
EELWORM (PCN)	LOW RESISTANCE-NON-IMMUNE	








ELFE SEED POTATOES MAIN CROP XXXX VARIETY

COOKING: Great for boiling, baking and mashing. **TYPE:** Smooth oval shape, yellow skin and flesh that has creamy texture and sweet, buttery taste. **TUBER:** Creamy skin with bright yellow flesh.

DISEASE RESISTANCE	
BLIGHT	MODERATE
SCAB	MODERATE
EELWORM (PCN)	RESISTANT





OSPREY SEED POTATOES

SECOND EARLY 1999 VARIETY

COOKING: A lovely general purpose variety, which is light but also floury.

TYPE: Modern disease resistant general purpose with some showbench use.

TUBER: Tuber with white skin & attractive pink eyes. Flesh is cream coloured.

DISEASE RESISTANCE

BLIGHT	LOW
SCAB	GOOD
EELWORM (PCN)	PARTIAL RESISTANCE







SEED POTATOES

COOKING

Jazzy Potatoes are incredibly versatile and packed full of flavour. Try them boiled, steamed or roasted.

TUBER Cream skin, light yellow flesh.

TYPE Modern bred salad variety.

BOIL 'EM STEAM 'EM ROAST 'EM

